

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2013 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
8830	Davis Bayou Channel Daybeacon 4						Remove from list. *	08/13
8835	Davis Bayou Channel Daybeacon 6						Remove from list. *	08/13

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2013 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
8840	Davis Bayou Channel Daybeacon 8						Remove from list. 08/13 *
8845	Davis Bayou Channel Daybeacon 10						Remove from list. 08/13 *
8850	Davis Bayou Channel Daybeacon 12						Remove from list. 08/13 *
8855	Davis Bayou Channel Daybeacon 13						Remove from list. 08/13 *
8860	Davis Bayou Channel Daybeacon 14						Remove from list. 08/13 *
8865	Davis Bayou Channel Daybeacon 16						Remove from list. 08/13 *
8870	Davis Bayou Channel Daybeacon 17A						Remove from list. 08/13 *
8875	Davis Bayou Channel Daybeacon 17B						Remove from list. 08/13 *
8880	Davis Bayou Channel Daybeacon 18						Remove from list. 08/13 *
8885	Davis Bayou Channel Daybeacon 20						Remove from list. 08/13 *
8890	Davis Bayou Channel Daybeacon 22						Remove from list. 08/13 *
8895	Davis Bayou Channel Daybeacon 23						Remove from list. 08/13 *
8900	Davis Bayou Channel Daybeacon 24						Remove from list. 08/13 *
8905	Davis Bayou Channel Daybeacon 26						Remove from list. 08/13 *
8910	Davis Bayou Channel Daybeacon 27						Remove from list. 08/13 *
8915	Davis Bayou Channel Daybeacon 28						Remove from list. 08/13 *
8920	Davis Bayou Channel Daybeacon 29						Remove from list. 08/13 *
8925	Davis Bayou Channel Daybeacon 30						Remove from list. 08/13 *
8930	Davis Bayou Channel Daybeacon 32						Remove from list. 08/13 *
8935	Davis Bayou Channel Daybeacon 33						Remove from list. 08/13 *
8940	Davis Bayou Channel Daybeacon 34						Remove from list. 08/13 *
8945	Davis Bayou Channel Daybeacon 36						Remove from list. 08/13 *

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2013 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks
9160	Old Fort Bayou Channel Daybeacon 4						Remove from list. 08/13 *
9165	Old Fort Bayou Channel Daybeacon 5						Remove from list. 08/13 *
9170	Old Fort Bayou Channel Daybeacon 6						Remove from list. 08/13 *
9175	Old Fort Bayou Channel Daybeacon 7						Remove from list. 08/13 *
9180	Old Fort Bayou Channel Daybeacon 8						Remove from list. 08/13 *
9185	Old Fort Bayou Channel Daybeacon 9						Remove from list. 08/13 *
9190	Old Fort Bayou Channel Daybeacon 10						Remove from list. 08/13 *
9195	Old Fort Bayou Channel Daybeacon 12						Remove from list. 08/13 *
9200	Old Fort Bayou Channel Daybeacon 13						Remove from list. 08/13 *
9205	Old Fort Bayou Channel Daybeacon 14						Remove from list. 08/13 *
9210	Old Fort Bayou Channel Daybeacon 16						Remove from list. 08/13 *
9215	Old Fort Bayou Channel Daybeacon 18						Remove from list. 08/13 *
9220	Old Fort Bayou Channel Daybeacon 20						Remove from list. 08/13 *
9225	Old Fort Bayou Channel Daybeacon 21						Remove from list. 08/13 *
9230	Old Fort Bayou Channel Daybeacon 22						Remove from list. 08/13 *
9235	Old Fort Bayou Channel Daybeacon 24						Remove from list. 08/13 *
9240	Old Fort Bayou Channel Daybeacon 26						Remove from list. 08/13 *
9245	Old Fort Bayou Channel Daybeacon 28						Remove from list. 08/13 *
9250	Old Fort Bayou Channel Daybeacon 29						Remove from list. 08/13 *
9255	Old Fort Bayou Channel Daybeacon 30						Remove from list. 08/13 *
20750	MERMENTAU CHANNEL RANGE FRONT LIGHT	29-45-15.667N 093-00-36.401W	Q R		17	On pile.	Visible all around; higher intensity on rangeline. 08/13 *

\*

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2013 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
20755	MERMENTAU CHANNEL RANGE REAR LIGHT 450 yards, 000.7° from front light.	29-45-29.037N 093-00-36.220W	Iso R 6s		37	On skeleton tower.	Visible 2° each side of rangeline.	08/13	
		*							
28845	TULE LAKE CHANNEL LEADING LIGHT	27-48-55.150N 097-27-44.763W	Q W		40	4	NG on skeleton tower on piles.	08/13	
						*			
35330	Mermentau-Gibbstown Buoy 1	29-55-44.775N 092-57-13.156W				Green with yellow square.		08/13	
						*			
267	<i>Tana-117-20 (Lighted Buoy)</i>		*				Remove from list.	07/13	
							*		
13850 34765	GOVERNOR NICHOLLS LIGHT 94 LDB mile 94.3.	29-57-37.914N 090-03-23.070W	FI R 4s		6	On skeleton tower. On same structure as Governor Nicholls Harbor Traffic Control Light.	Not operated when traffic control lights are in operation.	07/13	
		*							
24395	MORGANS POINT APPROACH OUTER RANGE FRONT LIGHT 2,361 yards, 161.7° from front light.	29-35-46.909N 094-56-56.298W	FI G 2.5s (NIGHT)  FI W 2.5s (DAY)	40 38		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.	07/13	
		*							
34765 13850	GOVERNOR NICHOLLS LIGHT 94 LDB mile 94.3.	29-57-37.914N 090-03-23.070W	FI R 4s		6	Skeleton tower. On same structure as Governor Nicholls Harbor Traffic Control Light.	Not operated when traffic control lights are in operation.	07/13	
		*							
37125	CHOCOLATE BAYOU CHANNEL OUTER RANGE REAR LIGHT 745 yards, 142.8° from front light.	29-10-09.625N 095-07-51.424W	Iso W 6s		40	KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.	07/13	
		*							
24795	HOUSTON SHIP CHANNEL LIGHT 96 120 feet outside the channel	29-41-39.482N 094-59-25.466W	FI R 6s		17	4	TR on pile.	Ra ref.	06/13
		*							
38450.01	San Antonio Bay Daybeacon 17	28-16-01.487N 096-44-20.778W				SG on pile.	Ra ref.	06/13	
		*							

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2013 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
943	<i>Nippon-102-10 (Lighted Buoy)</i>	28-21-12.631N 093-01-24.898W	Q G			Marks subsea obstruction.	SIGN: NIPPON-WC-533-A. Private aid.	05/13
*	*	*	*		*	*	*	
1365 27100	<i>Matagorda Ship Channel Approach Lighted Buoy MSC</i>	28-12-01.026N 096-05-12.882W	Mo (A) W		4	Red and white stripes with red spherical topmark.		05/13
27100 1365	<i>Matagorda Ship Channel Approach Lighted Buoy MSC</i>	28-12-01.026N 096-05-12.882W	Mo (A) W		4	Red and white stripes with red spherical topmark.		05/13
335 9580	SHIP ISLAND LIGHT	30-12-45.414N 088-57-58.736W	Fl W 6s	82	6	Skeleton tower on block. On same structure as Ship Channel Upper Reach Outbound Range Rear Light.		04/13
387	<i>Taylor Energy Lighted Buoy A</i>	28-56-12.619N 088-58-10.303W	Fl Y 2.5s			Marks subsea containment system.	TAYLOR ENERGY-MC-20 Private aid.	04/13
*	*	*	*		*	*	*	
8305	Pascagoula River Daybeacon 6	30-23-19.195N 088-33-50.952W				TR on pile.	Ra ref.	04/13
9580 335	SHIP ISLAND LIGHT	30-12-45.414N 088-57-58.736W	Fl W 6s	82	6	Skeleton tower on concrete block. On same structure as Ship Channel Upper Reach Outbound Range Rear Light.		04/13
22855	PORT ARTHUR CANAL G RANGE REAR LIGHT 429 yards, 339.7° from front light.	29-49-46.431N 093-57-48.003W	Iso G 6s (NIGHT)  Iso W 6s (DAY)	73 71			Ra ref. Lighted throughout 24 hours.	04/13
28150	HARBOR ISLAND RANGE REAR LIGHT 1,500 yards, 301.2° from front light.	27-51-08.414N 097-04-24.070W	F W (NIGHT)  F W (DAY)	123 125		Skeleton tower.	Visible 2° each side of rangeline. Lighted throughout 24 hours. Fl Y 2.5s exhibited when range light is on emergency power.	04/13
37010	CHOCOLATE BAY A RANGE REAR LIGHT 703 yards, 055.4° from front light	29-10-39.735N 095-06-21.346W	Iso W 6s		32	KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline.	04/13
	*							

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2013 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
700	<i>Ship Shoal Wreck Lighted Buoy WR4</i>						Remove from list.	03/13
							*	
13615	CCI PORT NICKEL DOCK LIGHTS (2) LDB mile 76.4.	29-51-38.400N 089-58-21.800W	Fl R 2.5s		12	On dock.	Private aid.	03/13
	*							
13620	CCI PORT NICKEL DOCK LIGHT LDB mile 76.6.	29-51-46.200N 089-58-20.300W	Fl R 2.5s		12	On dolphin.	Private aid.	03/13
	*							
23325	NECHES RIVER OUTER R RANGE REAR LIGHT 711 yards, 100.4° from front light.	29-58-37.577N 093-51-01.130W	Iso W 6s		49	KRW on skeleton tower on piles. On same structure as Sabine-Neches Canal Upper Range M Rear Light.		03/13
	*							
23370	NECHES RIVER S RANGE REAR LIGHT 131 yards, 113.2° from front light.	29-59-19.078N 093-55-33.910W	Iso G 6s		53	KRW on skeleton tower on mud sills.		03/13
	*							

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2013 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
23445	NECHES RIVER U RANGE REAR LIGHT 562 yards, 287.8° from front light.	30-01-22.840N 094-01-59.434W	F G		41	KRW on skeleton tower.		03/13
	*							
23695	GALVESTON BAY ENTRANCE CHANNEL A RANGE REAR LIGHT 4,476 yards, 301.1° from front light	29-22-19.507N 094-44-54.325W	F W (NIGHT)  F W (DAY)		125 122	Skeleton tower on block.	Lighted throughout 24 hours.	03/13
	*							
26100	TEXAS CITY CUT B OUTER RANGE FRONT PASSING LIGHT	29-22-00.027N 094-49-15.703W	Fl R 4s		17	3	On same structure as Texas City Channel Cut B Outer Range Front Light.	03/13
	*							
28880	TULE LAKE CHANNEL E RANGE REAR LIGHT 206 yards, 116.7° from front light.	27-48-59.162N 097-28-12.739W	Iso G 6s		37	KRW on skeleton tower on mud sills.	Lighted throughout 24 hours.	03/13
					*			
30400	APALACHICOLA RIVER ENTRANCE RANGE FRONT LIGHT	29-43-22.787N 084-58-48.427W	Q G		15	KRW-I on dolphin.	Visible all around; higher each side of rangeline.	03/13
	*						*	
30405	APALACHICOLA RIVER ENTRANCE RANGE REAR LIGHT 1,377 yards, 350.3° from front light.	29-44-03.105N 084-58-56.329W	F G		45	KRW-I on skeleton tower on piles.		03/13
	*						*	
34045	PASS AUX HERONS C RANGE FRONT LIGHT	30-15-59.621N 088-11-25.465W	Q W		15	KRW-I on dolphin.		03/13
							*	
34055	PASS AUX HERONS C RANGE REAR LIGHT 2,599 yards, 247.1° from front light.	30-15-29.624N 088-12-47.366W	Iso W 6s		57	KRW-I on piles.		03/13
	*						*	
34060	PASS AUX HERONS C RANGE REAR PASSING LIGHT	30-15-29.624N 088-12-47.366W	Q W		14	5	On same structure as Pass Aux Herons Range C Rear Light.	03/13
	*							
36645	GALVESTON-FREEPORT F RANGE FRONT LIGHT	29-17-24.922N 094-55-04.424W	Q W		15	KRW-I on pile structure.	For eastbound traffic.	03/13
	*						*	
36650	GALVESTON-FREEPORT F RANGE REAR LIGHT 935 yards, 079.9° from front light.	29-17-29.787N 094-54-33.217W	Iso W 6s		35	KRW-I on skeleton tower on piles.		03/13
	*						*	

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2013 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
37005.1	CHOCOLATE BAY A RANGE FRONT LIGHT PASSING LIGHT	29-10-26.280N 095-06-43.560W	Fl R 2.5s		10	3	On same structure as Chocolate Bay A Range Front Light.	03/13
		*						
37095	CHOCOLATE BAYOU CHANNEL INNER A RANGE REAR LIGHT 600 yards, 345.7° from front light.	29-11-18.029N 095-08-29.817W	Iso W 6s		36	KRW on skeleton tower on pile.	Visible all around; higher intensity on rangeline.	03/13
		*						
37120	CHOCOLATE BAYOU CHANNEL OUTER RANGE FRONT LIGHT 745 yards, 142.8° from front light.	29-10-27.236N 095-08-06.671W	Q W		25	KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline.	03/13
		*						
37340	CHOCOLATE BAY B RANGE FRONT LIGHT	29-08-36.281N 095-09-45.326W	Q W		15	KRW-I on tower.	For westbound traffic. Visible all around; higher intensity on rangeline.	03/13
		*						
37345	CHOCOLATE BAY B RANGE REAR LIGHT 699 yards, 235.4° from front light.	29-08-24.487N 095-10-04.801W	Iso W 6s		30	KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline.	03/13
		*						
998	<i>Arena Offshore-108-7 (Lighted Buoy)</i>	28-16-14.951N 093-20-29.660W	Fl W 2.5s			White with orange bands.	SIGN: ARENA-WC-564-1 Private aid.	02/13
*	*	*	*		*	*	*	*



## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2013 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks		
1385 27110	<b>Matagorda Ship Channel Entrance Light</b>	28-25-18.466N 096-19-05.915W	Fl W 10s		64	5	On same structure as Matagorda Ship Channel Range B Rear Light. 52	Obscured from 257° to 040°.	02/13
	*	*			*				
6495	MOBILE CHANNEL D RANGE FRONT LIGHT	30-26-24.109N 088-00-43.760W	Q W		26		KGR on skeleton tower on piles.	Visible all around; higher intensity 1.5° each side of range line.	02/13
	*								
7940	<i>Horn Island Pass Lighted Buoy 16</i>	30-12-45.153N 088-30-34.622W	FIR 2.5s			3	Red.		02/13
	*	*							
9795	GULFPORT UPPER REACH OUTBOUND RANGE REAR 2,728 yards, 143.8° from front light.	30-12-45.414N 088-57-58.736W	Iso W 6s		81		KRW on skeleton tower on concrete pile. On same structure as Ship Island Light.	Visible 2° each side of rangeline.	02/13
	*	*							
22910 35715	SABINE-NECHES CANAL H RANGE REAR LIGHT 326 yards, 040.0° from front light.	29-52-13.251N 093-55-41.974W	Iso R 6s		49		KRW on skeleton tower on concrete block.		02/13
	*								
22950 35675	SABINE-NECHES CANAL L RANGE REAR LIGHT 957 yards, 037.5° from front light.	29-56-58.197N 093-51-26.690W	Iso W 6s		56		KRW on skeleton tower on piles.		02/13
	*								
22965 35665	SABINE-NECHES CANAL K RANGE REAR LIGHT 669 yards, 200.0° from front light.	29-55-45.818N 093-52-12.961W	Iso W 6s		53		KRW on skeleton tower.		02/13
	*								
22975 35635	SABINE-NECHES CANAL M UPPER RANGE REAR LIGHT 745 yards, 020.1° from front light.	29-58-37.577N 093-51-01.130W	Iso W 6s		40		On skeleton tower on piles. On same structure as Neches River Outer Range R Rear Light.		02/13
	*							*	
23010 35620	SABINE-NECHES CANAL N RANGE REAR LIGHT 972 yards, 250.3° from front light.	29-57-52.495N 093-52-15.868W	Iso G 6s		85		KRW on skeleton tower on piles.		02/13
	*								
23090 35540	SABINE-NECHES CANAL O RANGE REAR LIGHT 954 yards, 070.3° from front light.	29-59-40.570N 093-46-31.661W	FIR 4s		54		KRW on skeleton tower on mud sills.		02/13
	*								

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2013 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
23125 35515	SABINE RIVER P RANGE REAR LIGHT 1,204 yards, 038.9° from front light.	30-01-34.543N 093-44-50.090W	Iso W 6s		47	KRW-I on skeleton tower on piles.		02/13
	*						*	
23175 35455	SABINE RIVER OUTER Q RANGE REAR LIGHT 464 yards, 231.6° from front light.	30-02-13.842N 093-44-30.362W	Iso W 6s		49	KRW on skeleton tower on mud sills.	Visible all around; higher intensity on rangeline.	02/13
	*							
23435	NECHES RIVER T RANGE REAR LIGHT 283 yards, 107.9° from front light.	30-00-24.787N 093-58-32.452W	F G  F G		55 57	On skeleton tower on block.	Lighted throughout 24 hours.	02/13
	*							
25350	HOUSTON SHIP CHANNEL LIGHT 112A	29-43-53.813N 095-01-54.417W	Fl R 2.5s		17	3 TR on pile.		02/13
	*							
27110 1385	<b>Matagorda Ship Channel Entrance Light</b>	28-25-18.466N 096-19-05.915W	Fl W 10s		64	5 On same structure as Matagorda Ship Channel Range B Rear Light. 52	Obscured from 257° to 040°.	02/13
	*							
27180	MATAGORDA SHIP CHANNEL B RANGE REAR LIGHT 1,192 yards, 128.7° from front light.	28-25-18.466N 096-19-05.915W	Oc W 4s		62	KRW on skeleton tower block. On same structure as Matagorda Bay Entrance Light.		02/13
	*							
27520	MATAGORDA SHIP CHANNEL D RANGE REAR LIGHT 658 yards, 181.5° from front light.	28-35-26.682N 096-34-02.962W	Oc G 4s		47	KRW on skeleton tower on piles.	*	02/13
	*							
27525	MATAGORDA SHIP CHANNEL D RANGE REAR LIGHT PASSING LIGHT	28-35-26.682N 096-34-02.962W	Fl W 4s		18	5 On same structure as Matagorda Ship Channel Range D Rear Light.	*	02/13
	*							
28150	HARBOR ISLAND RANGE REAR LIGHT 1,500 yards, 301.2° from front light.	27-51-08.414N 097-04-24.070W	F W (NIGHT)  F W (DAY)		123 122	Skeleton tower.	Visible 2° each side of rangeline. Lighted throughout 24 hours. Fl Y 2.5s exhibited when range light is on emergency power.	02/13
	*							
28310	CORPUS CHRISTI CUT A EAST RANGE REAR LIGHT 989 yards, 078.3° from front light.	27-50-47.194N 097-02-44.645W	Iso W 6s		93	KRW on skeleton tower on concrete block.		02/13
	*							

## Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2013 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
28875	TULE LAKE CHANNEL E RANGE FRONT LIGHT	27-49-01.908N 097-28-18.885W	Q G		26	KRW on skeleton tower.	Lighted throughuot 24 hours.	02/13
		*			*			
28970	LA QUINTA CHANNEL INNER RANGE FRONT LIGHT	27-52-31.868N 097-15-01.002W	Q G		26	KRW on skeleton tower on piles.		02/13
					*		*	
28975	LA QUINTA CHANNEL INNER RANGE REAR LIGHT 2,136 yards, 336.8° from front light.	27-53-30.190N 097-15-29.107W	Iso G 6s		64	KRW on skeleton tower on piles.		02/13
	*	*					*	
34035	Pass Aux Herons Buoy 14	30-17-11.383N 088-08-14.258W				Red nun with yellow triangle.		02/13
		*						
35455 23175	SABINE RIVER OUTER Q RANGE REAR LIGHT 464 yards, 231.6° from front light.	30-02-13.842N 093-44-30.362W	Iso W 6s		49	KRW-I on skeleton tower on mud sills.	Visible all around; higher intensity on rangeline.	02/13
	*							
35515 23125	SABINE RIVER P RANGE REAR LIGHT 1,204 yards, 038.9° from front light.	30-01-34.543N 093-44-50.090W	Iso W 6s		47	KRW-I on skeleton tower on piles.		02/13
	*						*	
35540 23090	SABINE-NECHES CANAL O RANGE REAR LIGHT 954 yards, 070.3° from front light.	29-59-40.570N 093-46-31.661W	FIR 4s		54	KRW on skeleton tower on mud sills.	Passing light visible all around.	02/13
	*							
35620 23010	SABINE-NECHES CANAL N RANGE REAR LIGHT 972 yards, 250.3° from front light.	29-57-52.495N 093-52-15.868W	Iso G 6s		85	KRW on skeleton tower on piles.		02/13
	*							
35635 22975	SABINE-NECHES CANAL M UPPER RANGE REAR LIGHT 745 yards, 020.1° from front light.	29-58-37.577N 093-51-01.130W	Iso W 6s		40	On skeleton tower on piles. On same structure as Neches River Outer Range R Rear Light.		02/13
	*						*	
35665 22965	SABINE-NECHES CANAL K RANGE REAR LIGHT 669 yards, 200.0° from front light.	29-55-45.818N 093-52-12.961W	Iso W 6s		53	KRW on skeleton tower.		02/13
	*							
35675 22950	SABINE-NECHES CANAL L RANGE REAR LIGHT 957 yards, 037.5° from front light.	29-56-58.197N 093-51-26.690W	Iso W 6s		56	KRW on skeleton tower on piles.		02/13
	*							

Summary of corrections to Volume IV of the U.S. Coast Guard Light List for the 2013 edition.

(1) No.	(2) Name and location	(3) Position	(4) Characteristic	(5) Ht	(6) Rng	(7) Structure	(8) Remarks	
35715 22910	SABINE-NECHES CANAL H RANGE REAR LIGHT 326 yards, 040.0° from front light.	29-52-13.251N 093-55-41.974W	Iso R 6s		49	KRW on skeleton tower on concrete block.		02/13
42830	* PORT ISABEL SMALL BOAT HARBOR CHANNEL LIGHT 10	26-04-58.947N 097-13-06.546W	Q R		17	3 TR on dolphin.	Ra Ref.	* 01/13
							*	