A GUIDE TO GROWING HEALTHY TREES IN THE LOWER RIO GRANDE VALLEY OF TEXAS



Plant A Memory, Plant A Tree. Do It Today! For Tomorrow. *Planta Un Recuerdo. Planta Un Arbol. Hazlo Hoy! Para El Mañana.* Native Trees Are The Answer. *Arboles Nativos Es La Respuesta.*

T C REES *I think that I shall never see A poem lovely as a tree; A tree whose hungry mouth is prest A gainst the earth's sweet flowing breast; A tree that looks at God all day. And lifts her leafy arms to pray; A tree that may in summer wear A nest of robins in her hair; Upon whose bosom snow has lain; Who intimately lives with rain. Poems are made by fools like me, But only God can make a tree.*

- Joyce Kilmer

INTRODUCTION

This Guide was produced by the Valley Proud Environmental Council in cooperation with the The Meadows Foundation.

Never forget, we did not inherit this earth from our parents, rather, it is on loan to us from our children. — Anonymous

Т

\$3.00

L he Lower Rio Grande Valley of Texas provides a challenge for planting and maintaining trees. Some of the adverse factors that we face are sandy or heavy clay soil, saline soil, little or too much precipitation, strong winds, pests, high temperature or a sudden change in temperature. Combinations of these factors may make it very difficult to grow a tree. This guide recommends the trees that will fit your specific area depending on soil type, wind, and moisture.

TABLE	OF	CO	NTE	NTS
-------	-----------	----	-----	-----

Page 3 Page 4 Page 5 Page 6 - 9 Page 10 Page 11 Page 12 Page 13 Page 14 - 15 Page 16 Page 17 Page 18 Page 19 Page 20 Page 21 Page 22 Page 23 Page 23	Benefits of Trees What to Plant How to Plant Where to PlantTrees and Power Lines Where to PlantLocation and Space Available Planting Grid Never Top A Tree Tree Pruning Recommended Trees for the Lower Rio Grande Valley Pictures of: Live Oak, Texas Mountain Laurel, Ebony, and Honey Mesquite Pictures of: Texas Sabal, Rio Grande Ash, Texas Persimmon, and Wild Olive Pictures of: Anaqua, Cedar Elm, and Montezuma Bald Cypress Palm Tree Care How to Care for Established Trees Additional Trees found in the Lower Rio Grande Valley Texas Big Tree Registry Don't Bag It - List of Nurseries Parlmed Mathies (2010)
Page 21 Page 22	Additional Irees found in the Lower Rio Grande Valley Texas Big Tree Registry
Page 23	Don't Bag It - List of Nurseries
Page 24 - 25	Backyard Habitat/Planting Trees for Wildlife
Page 26	Resources: Native Plants and Nature Happenings in the Lower Rio Grande Valley
Page 27	Acknowledgement, Reference
Page 28	Valley Proud Environmental Council, The Meadows Foundation

Benefits of trees

Trees provide us with the following economic, health, and aesthetic benefits:

IMPROVED QUALITY OF LIFE

Research has shown that trees and green spaces have a positive psychological impact on humans living in our urban society. A well-forested community is a more inviting place to live, work, and shop. Studies show that people linger and shop longer along tree-lined streets.

INCREASE PROPERTY VALUE

A well planned landscape including healthy trees, shrubs, groundcovers, and flowers can increase residential property value up to 15 percent. A well-landscaped house will attract more potential home buyers and may be easier to sell because of its increased beauty.

MODIFY LOCAL CLIMATE

Vast amounts of concrete, steel, asphalt, and glass in cities increase air temperature several degrees compared to the surrounding countryside. Trees lower air temperature through shade and leaf transpiration, reduce glare on sunny days, and reduce wind speed, creating a more pleasant surrounding.

CONSERVATION OF RARE SPECIES

Rare trees planted in landscaped areas help conserve rare species and provide seed sources for revegetation efforts.

REDUCE AIR POLLUTION

Trees remove carbon from carbon dioxide, which is harmful to humans, and replenish the atmosphere with oxygen for us to breathe through a process called photosynthesis. In this process, carbon is stored in the trunk and sugars are manufactured through the use of energy provided by sunlight. The tree uses the sugar as its source of energy. An average tree can absorb 26 pounds of CO₂ per year. Leaves help to trap and hold particulate pollutants (dust, ash, pollen, and smoke) that can damage human lungs.

WILDLIFE – FOOD AND HABITAT

Trees provide shelter for birds and small mammals and food like nectar, pollen, berries, seeds, leaves, twigs, and bark for wildlife.

SAVE ENERGY

Trees produce shade which can reduce air conditioning cost up to 30 percent when strategically placed on the west and south sides of a building. Use evergreen trees on the north side to intercept and slow winter winds. This will save from 10 to 50 percent energy used for heating. By conserving energy, less electricity for heating and cooling is required to be generated. With lower demand for electricity, burning of fossil fuels which releases CO₂ into the atmosphere will decrease.

REDUCE SOIL AND WIND EROSION, CONSERVE WATER

Trees reduce surface runoff by contributing organic matter to the soil surface which allows the water to soak in and not run off. They break the impact of falling rain and the roots help hold soil and increase the ability of soil to absorb water. With increased absorption of water, less irrigation is needed. Trees make excellent windbreaks, slowing the wind speed, thus reducing erosion and human aggravation created by constant, strong wind.



The type of tree to plant depends on environmental factors, the tree's purpose, location, and space available. Before choosing a tree, the planting area needs to be evaluated and the following criteria considered. Use the list of trees and their characteristics along with the evaluation of the planting area to choose the trees that will grow the best. Trees native to the Lower Rio Grande Valley are adapted to the environmental factors of this area and tend to survive longer. Trees can provide shade, color from spring and/or summer flowers, fruit, seed pods, windbreaks, attract wildlife, or be used as boundary markers. Each tree species varies from others in form or shape, size, growth rate, color, leaves, flowers, fruit, and texture. Select a tree or trees that will best satisfy the benefits you desire.

ENVIRONMENTAL FACTORS

Minimum Temperature - Every tree will survive down to a certain minimum temperature. In the Lower Rio Grande Valley, the minimum temperature is usually about 25 - 35 degrees. However, our greatest concern is when the temperature falls rapidly and the trees do not have enough time to adapt. The trees that have been the most severely damaged by the past hard freezes are citrus, Tepeguaje, and several palms like Cocus.

Moisture - Species native to this area will survive with little or no additional watering. Introduced species will require additional watering during the hot, dry summer months. Trees requiring high moisture need plenty of additional watering and usually show signs of stress by dropping their leaves in the summer. These trees include cottonwood, Montezuma Bald Cypress, and Sycamore.

Light - Most trees need an open, sunny space to reach their mature size. If your planting area is shaded by other trees or buildings then select a smaller, shade loving tree.

Pests - Insects and disease can be a nuisance to the homeowner if not identified and treated properly as soon as possible. Select species that are relatively free of pests. Newer varieties of some species have been bred for resistance to certain diseases. Rio Grande ash, pecan, Afghan pine, and mulberry have the most insect and disease problems.

Soil - The soil type in this area will range from very sandy soil to a heavy clay. The pH will range from 7.0 to 8.5, which is alkaline. Trees planted in a sandy soil will need additional water, whereas in heavy clay soil they will need less water. Incorporating organic material into sandy soil will help retain moisture and into a heavy clay soil will improve drainage.

Selecting A Healthy Tree - After determining the species of tree to plant, you're ready to select a tree from your local nursery. Choose a tree that has a straight, single central trunk, and no damage to the bark or broken or dead limbs. Do not select a tree that has been topped, has more than one side voided of branches, or a tree that grows straight up and has very little crown spread.

Planting Season - Fall is for planting. Planting in late fall through early spring allows trees to establish new roots before the spring rains and summer heat stimulates new growth. The tree needs an established root system to keep up with the higher water demand in the summer. During the winter dormant season the roots will continue to grow while the top remains inactive. Container grown trees can be planted during the summer with additional watering because no roots are lost. Balled and burlap trees tend to go into shock and lose their leaves when planted in the summer. To prevent this the leaves should be stripped before transporting the tree. They will re-leaf, but it will take more time for the tree to regain its natural look. Palm and citrus trees should be planted in late spring or early summer.

Plant evergreen trees, which retain their leaves or needles year round, on the north and west sides of your home. When planted in two staggered rows they intercept and slow winter winds.

Plant deciduous trees, which shed their leaves during winter, on the west and south side of your home. They will shade your home in the summer and allow sunlight to warm your house in the winter.

How to plant

The new idea in tree planting is that "It's better to put a \$50 tree in a \$100 hole than a \$100 tree in a \$50 hole." Planting a tree in the right location, using the proper technique will give your tree a better chance of reaching maturity and providing the benefits that you desire.

Follow the 3 R's - Right tree, Right place....planted the Right way.

1 Select the right tree for the right place. Proper tree planting begins with good planning. Determine your planting goals and match the mature size, soil and moisture requirements of your tree to the site. (Refer to recommended Tree chart on page 14.)

2 Mark out a planting area 2 to 5 times wider than the rootball diameter (the wider the better). Loosen this area to about an 8" depth. This will enable your tree to extend a dense mat of tiny roots well out into the soil in the first one to ten weeks. Often early root growth is limited by the width of the hole and loosened soil perimeter.

3 In the center of the planting area, dig a hole at least twice as wide as the root ball and no deeper than the depth of the soil in the root ball. The bottom of the ball should rest on solid undisturbed soil. When finished, you want the soil at the base of the tree to be at the same level on the tree as it was in the container. If part of the trunk gets below ground, its bark may rot. The roots also need to get the same ratio of air to water that they received when the tree was in the container or at its original site. Resting the tree on solid ground prevents excessive settling.

4 Make sure the sides of the hole are rough and uneven. In very hard soils, a rough edge to the hole may help force new roots to grow out into the surrounding soil.

5 Place the tree in the hole. If the tree is in a container, pull the container away from the root ball. Don't pull the tree out by its trunk. Place the root ball in the center of the hole and adjust the tree so it is straight and at

the proper level. Pulling the tree out of the container by its trunk is a good way to damage the small roots within the ball. The tree needs these roots to help

Loosened area of soil 2 to 5 times wider than diameter of root ball. Mulch entire loosened area. survive transplanting to its new home. Stand back and look at the tree now - before you put the soil back into the hole. You can make fine adjustments at this time without seriously harming the root ball.

6 For balled and burlapped trees, rest the root ball in the center of the hole, and reshape the hole so the tree will be straight and at the proper level. After adjusting the tree, pull the burlap and any other material away from the sides and top of the root ball. Don't try to get the material out of the hole - just let it rest beneath the root ball of the tree. Exposing the sides of the root ball to the soil will enable the tree's roots to grow in the most important directions. If you adjust or lift the tree after its ball has been unwrapped, chances are that the root ball will be damaged.

7 Backfill with the original soil.

Fill until the hole is half full. Flood the hole with a slow hose or tamp gently with your foot to firm the soil. Repeat until the hole is full. Do not press too firmly - only firmly enough to hold the tree

upright. The best soil for root growth has spaces for both air and water; however, large air pockets can cause problems. This method of backfilling with soil and water or gently tamping will remove these large pockets.

9 Construct a small dam or berm 3 feet in diameter around the tree. This dam will help hold water until it soaks into the soil, rather than letting it run off across the surface.

10 Cover the entire loosened area of soil with 3 to 4 inches of mulch - shredded wood or bark, compost, or dry leaves, for

example. Mulch will slow water loss, reduce competition from weeds and grasses, will moderate soil temperature and will provide a small

amount of "nutrients."

Top of root ball at grade level.

Create small dam 3 feet in diameter.

Do not over compact the soil-only enough to hold the tree upright.

Source: Austin ReLeaf, Inc.

Solid undisturbed soil

WHERE TO PLANT Look up, Look Down, Look Around

LOOK UP. Are there power lines above, utility lines below, or buildings close by? Note how far the tree planting site is from overhead utility lines or your house. It is best to avoid planting trees under power lines. Using The Tree Care Guide, find how tall the tree will be at its mature height. Select low growing trees to plant adjacent to overhead utility lines that mature less than 25 feet in height. Plant the larger trees at least 50 feet away from lines to prevent your trees from being trimmed from the power lines.

LOOK DOWN. Don't forget to check for underground utilities before you dig the hole to plant your tree. You could be digging into wires or pipes for gas, electricity, phone and water. Play it safe and call "Dig Tess" utility locators at 1-800-344-8377 at least two working days before digging. The "Dig Tess" utility locator service is free. Digging without calling Dig Tess is dangerous and against the law.

LOOK AROUND. Consult a landscape consultant or nursery professional to find out how wide your tree will grow once mature. Ask yourself, "When this tree is fully grown, will it fit without interfering with power lines, your house, other trees, pavement or sidewalks?" Consult your local nursery for advice on suitable trees.

Overhead utility lines that connect directly to your home are usually only 12 feet high or less. It is best to maintain a distance of at least five feet or more from them and avoid planting directly below these lines.

Avoid planting trees or shrubs in your yard within 10 feet of pad-mounted utility equipment such as transformers that might be near your yard. Utility crews need clear access to them in order to safely conduct routine maintenance.

Following these guidelines and planting trees the proper distance away from power lines will help prevent utility trimming of your trees.



Palm Trees

Palm trees are a major source of power interruptions; most grow much higher than utility lines. Rain and frequent high winds can loosen dead palm fronds which can fall or sail hundreds of feet, landing on power lines, where they can catch fire or cause service interruptions.

Plant palm trees a minimum of 15 feet or more

away from utility lines to prevent service interruptions and unsightly trimming of palm fronds required to keep utility lines clear. An exception is the pindo palm that has a mature height of 15 feet and European Fan



AVOID PLANTING TREES OR SHRUBS AROUND ELECTRICIAL TRANSFORMERS, ALLOW AT LEAST 10" ACCESS IN FRONT OF TRANSFORMER AND 5" AROUND SIDES AND BACK AS SHOWN.

Palm with a mature height of 14 feet.



Right Tree in the Right Place

Trees and power lines can co-exist, and potential conflicts can be avoided by selecting and planting trees with size and growth characteristics appropriate to their location.

Low Zone - beneath power lines and for 20 feet to either side of them, plant species that will not exceed 25 feet in height. Taller existing trees in this zone should be pruned by the utility company to grow away from the wires. If maintenance becomes excessive, the utility company may have to remove trees from underneath utility power lines.

Medium Zone - trees that grow no more than 40 feet in height are recommended for areas immediately adjacent to the Low Zone in order to avoid high branches that overhang power lines or trees that could topple into the lines during severe storms.

Tall Zone - higher trees could be used in a location at a distance of 50 feet or more from power lines. Trees near your house can provide significant energy benefits by providing cooling shade in summer and giving protection from winter winds.

Hidden Tree Planting Expense

If you plant a tree that will eventually grow into a power line, you're actually causing expenses for all utility customers through higher bills. Your utility company will now have the added expenses for trimming your tree that has been planted under the power line.

Over the life of the tree, crews will have to return every few years to trim the tree. Those expenses add up. The solution: plant low-growing trees at the distances suggested on the chart.

The Benefits of Good Sidewalk and Highway Lighting to the Community

When the small upright or globe form of a tree is planted outside the utility easement and placed at least 20 feet from any pole, there is no conflict between trees and street lights. Pavement illumination at night is then unrestricted creating a safer community.

L REES AND POWER LINES Good Planning Means No Pruning

If not properly maintained, trees near electric power lines and facilities can pose problems. This is particularly true for your local utility companies whose primary responsibility is to ensure safe, reliable and continuous service to customers.

• Tree trimming is not only important, it's necessary. In fact, state law requires utilities to regularly trim trees to ensure safety around electric facilities and to minimize disruption of service to customers.

• Electrical outages caused by fallen trees and tree limbs can result in inconveniences to you and your neighbors. There's the possibility of property damage and personal injury. Also, there's the inconvenience of power interruptions.

• Outages can pose an even greater threat when they interrupt service to a resident on a life-support system, or to a hospital. Fire alarm systems, schools, traffic lights or a host of other vital public facilities can also be affected adversely by power interruptions.

• Overgrown vines, shrubs and other vegetation can also interfere with electric facilities, not only resulting in outages but causing damage to utility poles, cross-arms, lines and other electrical equipment.

• Tree-trimming programs are designed to minimize such interruptions by clearing limbs, shrubs and other growth away from power lines before they have a chance to do severe damage.

Tree Trimming Techniques

Utility crews trim trees utilizing "natural" method – techniques, which meet standards established by the National Arborists Association. These methods help assure that the natural shape of a tree is maintained as much as possible, even if a considerable amount of wood has to be removed. These methods also greatly reduce the need to return and perform routine maintenance. And, reduced maintenance costs mean lower costs in the utility companies overall operations. Another benefit is that the natural methods promote a healthier, more attractive regrowth of the trees. With less desirable methods of trimming - shearing and pollarding - all the buds at the end of the tree's limbs are removed. (Shearing is uniform symmetrical cutting of all growth to a certain level, while pollarding is stubbing of all the branches.) These buds contain auxins, the hormones that retard a tree's growth.

Wrong Way to Prune



The absence of auxins results in a rapid regrowth from buds located along the sides of the branches. This rampant regrowth is known as suckering, and is both unnatural and unhealthy. It can deplete a tree's carbohydrate supply, making it susceptible to injury during the winter. Suckering also leaves the tree with a dense, unnatural shape and makes it prone to damage during storms and high winds.

Natural trimming requires branches to be cut flush at a suitable "parent" limb back toward the center of the tree. It's sometimes referred to as lateral trimming. This is because the tree's larger limbs are cut back to a lateral branch approximately one-third the size of the limb that's being removed. It's also known as directional trimming, since it tends to guide new tree growth away from electric wires, lines, conductors, poles and other equipment.

WHERE TO PLANT

To Avoid Tree Line Clearance – Don't Plant Trees Under or Near Power Lines

Trees growing too close to the power lines must be trimmed or removed to prevent safety hazards and power outages. The following techniques could be used when trees do grow into the power lines.

Natural trimming includes three main types of trimming techniques - topping, side trimming and under trimming. Illustrations and brief descriptions of each are shown below:

Topping (v-cutting, heading back) - involves cutting back large portions of a tree's upper crown. (Trees that are growing directly under power lines)



Side Trimming – consists of cutting back or removing side branches that threaten conductors, lines or wires. (Trees to the side of power lines)



Under Trimming – involves removing limbs beneath a tree's crown to allow wires to pass safely underneath. (Large trees to the side of power lines)



Adanted from Central Illinois Public Service Comm

(Adapted from Central Illinois Public Service Company tree trimming brochure and reproduced with permission.)

When Tree Removal is Necessary

In some instances it may be necessary to remove or cut down a tree. This is true if the tree's growth extends too far into an electric power line, or if disease and insect infestation have rendered it a hazard with no future chance of reasonable natural development.

Removal is also necessary if a tree's proximity to an electric line threatens property or human life. For example, if a tree is located near an area such as a school, children climbing the tree could come in contact with a line or conductor and become severely burned or electrocuted.

To reduce hazards and pruning of your tree around power lines, select and plant trees the proper distance from power lines or maintain a tree free zone below the lines. Trees planted under utility lines can also damage or be damaged by lower hanging fiber optic, cable or telephone lines rubbing against them.

WHERE TO PLANT Location and Space Available

Before planting, know what the size of the tree will be as it nears maturity. Trees vary in crown spread, height, and branching pattern. Large trees should not be planted under utility lines or near underground water or sewage pipes, close to rooflines, restricted by sidewalks or driveways or near other large trees. Small



SUMMER Deciduous trees placed on the south and vest walls will reduce indoor temperatures in summer by shading the roof and walls.

TREE SPACING GUIDE FOR YOUR LANDSCAPE

Tree Height	Minimum Spacing From Wall	Minimum Spacing From Building Corner
Up to 25'	10′	10′
25-50'	15′ - 20′	15′ - 20′
50'+	20' - 25'	15′ - 20′

trees are good for limited space as long as visibility to streets or driveways is not hindered. Planting several large trees in a limited space to provide immediate shade will cause problems when the trees mature. The goal is to plant a tree in a space that will not require any major pruning when it matures.

NOTE: These are general guidelines only:

- Check each trees mature spread when placing trees so you do not crowd them.
- Leave half of this spread between the tree and building, utility lines, or existing mature trees.
- When planting several new trees, remember to space them so all will have room for their mature spread.
- When planting near street corners in residential areas, do not place trees or shrubs that would block a driver's view of the sign, signal, or intersecting street.
- Use small trees, shrubs, and vines to provide shade for walls and windows, if there is not enough space for a large tree.
- Only plant small trees near or under overhead utility lines.

- Do not plant trees near underground sewage or water lines.
- Plant space should allow for trunk and root growth.
- Provide shade to your AC unit to increase efficiency.

Use this gr	id to draw a pl existing plant 1	anning sketch naterial and m	of your propert arking the area	y showing all s s where you wa	tructures, utili nt to plant.	ties and	

HARMFUL PRACTICES Never Top A Tree

Topping is an improper pruning technique which removes large branches and leaves short stubs off the main trunk. Topping is the worst thing you can do to the health of your tree. If a tree gets too large or is growing into utility lines it can be pruned properly to reduce its size, yet retain its value. A topped tree will be in greater danger in a hurricane, slowly begin to die and lose its value immediately. Claims by professional tree toppers that topped trees will provide more shade and live longer are false.

THESE PRACTICES ARE HARMFUL

	Topping
	Trenching
	Painting Tree
Placing a	lirt around trunk at a level higher than original trunk ground level.

REASONS NOT TO TOP YOUR TREE

- **A.** Removes too much leaf surface which the tree needs to produce food.
- **B.** Remaining branches may get sunscald.
- **C.** Large stubs can't heal properly and invite insects and decay.
- **D.** New branches form weaker branch angles and break more easily in strong winds.
- **E.** The tree will produce rapid new growth and form a denser crown. The tree will tend to be more susceptible to damage from high winds.
- **F.** Some older trees won't re-leaf after a severe pruning and then will die sooner than normal.
- **G.** Topping a tree destroys its natural shape and beauty.
- **H.** It will reduce the value of the tree and the property, add expense to remove the tree and replace it when it dies, increase liability from weakened branches, and increase future maintenance.

Tenching Near Trees

Avoid tranching near trees whenever

possible. If unavoidable, make clean cuts on roots and keep moist until

backfill is complete.



Topping Trees Topping trees should always be avoided. This causes sucker growth, increasing maintenance requirements and is unhealthy for trees.

REMEMBER TO BE SAFE

- **A.** Keep your tools sharp.
- **B.** Wear safety boots, safety goggles and leather gloves.
- **C.** Never use a chainsaw while on a ladder.
- **D.** Leave major tree pruning to a professional arborist.
- **E.** Take care to avoid electrical lines.

PROPER PRUNING TOOLS

- **A.** Pruners use on twigs and smaller branches up to about 1/2''.
- **B.** Loppers use on branches from 1/2'' to about $1 \ 1/2''$.
- **C.** Hand saw use on larger branches.
- **D.** Pole saw or pruner use on high branches.
- E. Chain saw Use on largest limbs.



Dirt Piles Around Tree Trunks Avoid piling dirt around tree trunks. This sufficients the small 'leeder' roots at the surface of the ground.



White Painting Around Trunks Avoid any painting on tree or pains trunks. Paint contains toxins which are not healthy for trees or paims and destroys bark and important tesus.

Think Trees...

LREE PRUNING

Trees should be pruned sparingly and only for a specific reason. Don't prune just to prune or because your neighbor is pruning his tree. Over pruning will reduce the value of your tree and property. When, why, and how to prune are outlined below.

WHY PRUNE?

- A. Remove dense growth by <u>thinning the crown</u>. This reduces wind resistance and the chance of branches and the trunk breaking in high winds.
- **B.** Remove <u>watersprouts and suckers</u>. They are unsightly and rob water and nutrients from the rest of the tree.
- **C.** Remove <u>crossing branches</u> before they start rubbing against each other. The rubbing will create a wound and give insects or disease place for entry into the tree.
- **D.** Remove <u>dead or broken branches</u> when they occur. If left, insects and disease may enter the tree.
- **E.** To <u>direct or control growth.</u> Remove low branches over a sidewalk or driveway or branches growing against a building. Prune back to a lateral bud or branch that points upward or away from the building.

WHEN TO PRUNE?

- **A.** Light pruning and removing dead branches can be done at any time.
- **B.** Winter is the best time to prune because there will be less sap flow, and a vigorous burst of new growth in the spring.
- **C.** Prune spring flowering trees after they bloom (redbud and flowering fruit trees). Prune summer and fall flowering trees (crape myrtle) in the winter.
- **D.** The best time to prune live oaks is in late June through September and January through early February. Pruning live oaks during the rest of the year will make them more susceptible to the oak wilt disease.

HOW TO PRUNE?

- **A.** Inspect the tree first and determine what needs to be pruned.
- **B.** Be careful never leave a stub. Always prune back to the branch collar or ridge or to a lateral bud. When removing a branch always prune back to the main trunk or the next largest branch. Don't cut into the branch collar.
- **C.** Always make a clean cut and never jagged. A smooth cut will heal the quickest.
- **D.** On large branches use the three cut method as illustrated to the right.



PROPER TREE PRUNING

- Use this method to remove a limb with a saw, so that the limb does not "tear" down the remaining branch or trunk.
- Lopping shears should be used on branches smaller than 3/4" in diameter.
- Remove branches larger than 3/4" (with hand or chain saw) using the following three-cut method:
- 1. Undercut 12"-24" up from the branch collar. This stops the bark from tearing.
- Make the second cut from the top all the way through the branch, 2" to 3" above cut 1.
- 3. The final cut should be just beyond the branch collar. Support the stub so it does not tear the bark.



RECOMMENDED TREES FOR TH

COMMON AND BOTANICAL NAME	TREE TYPE	MATURE HEIGHT	CROWN SPREAD	GROWTH RATE
Anaqua - Ehretia anacua - N	Е	40'	40' - 60'	Slow
Ash, Rio Grande or Fresno - Fraxinus berlandieriana - N	D	45′	30' - 50'	Fast
Bald Cypress, Montezuma or Ahuehuete - Taxodium mucronatum - N	Е	50′	30' - 50'	Med.
Ebony, Texas or Ebano - Pithecellobium ebano - N	Е	40'	40' - 60'	Slow
Elm, Cedar or Olmo - Ulmus crassifolia - N	D	50′	40' - 60'	Med.
Guajillo - Acacia berlandieri - N	D	15′	20' - 25'	Med.
Guayacan or Soapbush - Guaiacum angustifolium - N	E	15′	20' - 25'	Slow
Hackberry, Sugar or Palo Blanco - Celtis laevigata - N	D	50'	40' - 60'	Fast
Mesquite, Honey - Prosopis glandulosa - N	D	25′	20' - 40''	Med.
Oak, Live or Encino - Quercus virginiana - N	Е	50′	40' - 60''	Med.
Persimmon, Texas or Chapote - Diospyros texana -N	D	20'	30' - 40'	Slow
Retama - Parkinsonia aculeata - N	D	25′	20' - 30'	Fast
Soapberry, Western or Jaboncillo - Sapindus drummondii - N	D	50′	30' - 40'	Fast
Tenaza - Pithecellobium pallens - N	D	15′	20' - 25'	Slow
Tepeguaje or Great Lead-tree - Leucaena pulverulenta - N	D	40'	40' - 60'	Fast
Texas Mountain Laurel or Frijolillo - Sophora secundiflora - N	E	25′	25′ - 30′	Slow
Wild Olive or Anacahuita - Cordia boissieri - N	E	20'	20' - 30'	Slow
Palm, Chinese Fan or Palma China - Livistona chinensis	E	25′	30'	Slow
Palm, Mexican Fan or Palma Alta - Washingtonia robusta	Е	60′	30'	Slow
Palm, Texas Sabal or Palma De Micharos - Sabal texana - N	Е	50′	30'	Slow

 \boldsymbol{D} - Deciduous, \boldsymbol{E} - Evergreen, \boldsymbol{N} - Native to Lower Rio Grande Valley

E LOWER RIO GRANDE VALLEY

MOISTURE CONDITION	LIFE- SPAN	BENEFITS	COMMENTS
Low	50+	Wildlife, white flowers, orange fruit	Drought tolerant, gnarled trunk, rough leaves
Moderate	30 - 40	Wildlife, Shade	Limb decay from over pruning
Mod. to High	50+	Valuable wood, nesting sites	Thrives in wet soil
Low	50+	Wildlife, wood used for crafts	Handsome dark foliage, white spring flowers
Low to Mod.	50+	Wildlife, fall color	Drought tolerant
Low	30 - 50	Wildlife, wood used for tool handles	Fragant white flowers
Low	30 - 50	Wildlife - food	Blue to purple flowers
Low	То 30	Shade, wildlife	Fast grower
Low to Mod.	50+	Strong wood, fragrant blooms, light shade	Adaptable to many conditions, good yard tree - light shade
Moderate	50+	Shade, wildlife	Large spreading tree, dense shade
Low	30 - 50	Edible fruit, nesting sites	Wood for furniture
Low to Mod.	То 30	Food for wildlife	Drought tolerant, yellow flowers - summer
Low	30 - 50	Wildlife, fruit eaten by birds	Highly adapted for shade
Low	30 - 50	Wildlife, nesting sites	White, puffy, fragant flowers
Moderate	30 - 50	Wildlife, nesting sites	White balled-shaped flowers
Low	То 30	Purple fragant flowers - spring	Small ornamental tree, freeze tolerant
Low	30 - 50	Wildlife, white flower & fruit	Bold leaves contrast large flowers
Low	50+		Highly ornamental, refined look
Low	50+		Long tapered trunk
Low	50+	Wildlife, Thornless	Only Palm tree native to Texas, cold tolerant







PALM TREE CARE

Think Trees...

WHEN TO PLANT

Best time to plant is during the growing season when the soil is warm, late spring through early fall. Severed roots must be replaced by new roots if the plant is to survive. Warm soil temperatures are needed to encourage this new growth or the plant may rot before growth begins.

HOW TO PLANT

When moving a palm, the crown (the growing tip of the palm) must be protected. Tie the fronds together at the top and brace with a length of a 2x4 lumber tied to the trunk. After planting remove the 2x4 lumber leaving the fronds tied together for several months, until new fronds grow out.

To assure a higher survival rate of planting, the palms should be kept in a shady area and the root ball moist. The failure of transplanted palms can often be attributed to unprotected root balls drying out for several days in full sun before being planted.

Palms should be planted in well-drained soil, rich in organic material and with adequate water and nutrient-holding capacity. Sandy loams with good subsurface drainage are preferred over clays with impervious pans or parent material.

In general, plant palms at the same level as they were planted in the pot or grown in the nursery. In sandy soil the palm may be planted about six inches deeper than their original depths. However, if the soil has a high clay content, do not plant deeper because they won't have adequate drainage.

Taller palms (>6') should be staked or guyed for stability for at least three months.

Water the palm well and regularly until winter, then water less frequently.

PRUNING

Best time to prune is in the spring, removing only unwanted brown fronds.

Trimming off green fronds reduces the palm's ability to produce food.

Excessive trimming lessens the palm's ability to withstand cold and drought. Do not prune or plant in fall or winter.

FERTILIZATION

To determine the fertilization need, take a soil test of the fill material. The required formulation should be applied lightly every 90 days rather than once a year (one-fourth of the recommended amount quarterly throughout the year).

> Avoid pruning palm trees whenever possible. Most palms shed their fronds naturally, but others drop the fronds after some time. When it is necessary to prune the trees, never remove fronds that do not hang below a line parallel to the ground. Never pull or rip off fronds. Permanent wounds to the trunk can occur allowing for fungus or rot invasion and produces ever-enlarging holes in the trunk.

Think Trees...

How to care for established trees

Before investing time and money in your tree, perform a thorough inspection to determine the health of the tree. If a tree is in poor health, with dying and decaying branches or trunk, it's probably wiser to remove the tree and plant a young, healthy tree. It will cost less to prevent a problem than to cure one, so treat any problems when they first occur. Contact your local arborist or tree care professional if you are uncertain about what should be done.

Stem decay and crown dieback are symptoms of poor health and indicate problems that began several years before. Also, smaller leaf size and reduction in the extension of shoots are signs that the tree's health has recently changed.

MULCHING

INSPECTION

Using an organic mulch around the base of your tree is probably one of the best things that you can do for the tree. Some of the benefits of mulch are:

- Stabilizes soil temperatures and retains soil moisture which reduces soil cracking that can damage small roots.
- Reduces competition from grasses and weeds which rob water and nutrients from the tree.
- Improves soil fertility as the organic mulch decomposes.
- Helps prevent soil compaction and improves the soil structure.
- Increases aeration and improves temperature and moisture condition.
- Eliminates the use of lawn mowers and weedeaters around the base of the tree. This equipment will damage the trunk and can kill the tree.

Organic mulches include shredded leaves and twigs, decomposed grass, or composted wood chips.

The mulch should be 2 to 4 inches thick and should extend out past the edge of branches for smaller trees. For newly planted trees extend at least 2 feet from the base of the tree.

FERTILIZING

Do not use weed and feed fertilizer near trees.

Fertilizers provide three major nutrients: nitrogen, phosphorous, and potassium.

- A. Nitrogen most critical, maintains the green color in the leaves and promotes normal twig growth.
- **B.** Phosphorous assists in the maturation of tissues and stimulates root growth. Particularly important in flower, fruit, and seed production.
- C. Potassium assists in the manufacturing of sugars and starches, helps tissues mature properly, and heightens the color of flowers.

Apply in the late fall through early spring. Choosing a fertilizer depends on soil pH, organic matter content, and soil composition. Consult your local garden center for a fertilizer blended for this area, preferably a slow release type.

Younger trees, less than five inches in diameter, should be fertilized yearly. Older trees usually don't need additional fertilizer because of their extensive root system.

WATERING

Proper watering is one of the most important factors in producing top quality trees. Check the soil and only water if dry. Improper watering may consist of too little, too much, the wrong method, or incorrect timing.

Trees should be watered, around the drip line, slowly to allow the water to soak in. Watering to a depth of 10" to 16" deep will allow the roots to penetrate deeper into the soil.

Trees lose water through a process called transpiration. If roots don't absorb water as rapidly as the leaves transpire, the plant wilts. Transpiration rate will be greater with higher wind speed, low humidity, and warmer temperatures.

Think Trees...

DDITIONAL TREES FOUND IN THE LOWER RIO GRANDE VALLEY

These trees are planted in the Lower Rio Grande Valley but some are not highly recommended.

(**N**) **Brasil or Bluewood** - Small tree with branches ending in thorns with distinctive bright, lime-green leaves. Moderate to slow grower.

(N) Coma del Sur or Saffron Plum – Small to medium size, spiny, evergreen tree with fragrant, small, clustered, greenish-white flowers. Moderate to slow grower.

Crape Myrtle, Standard – A small deciduous tree growing from 15 to 30 feet, best known for its flowers.

Golden Raintree – One of the very few flowering trees, excellent as a small lawn tree, or for shading a patio. Moderate growth.

Hackberry, Spiny – Small to medium size tree. Flowers bloom in late spring, small round yelloworange fruit.

(N) Huisache, Texas – Medium sized tree, densely branched, armed with long, paired, straight spines. Rapid growth, quick shade tree with bright orange fragrant blooms in spring.

(N) Jopoy – Small tree, about eight feet tall with whitish bark and a rounded top, slow growing, requires shade.

Palm, Pindo – Small palm growing to 15 feet, heat and drought tolerant, moderately slow growth and low maintenance. Good palm near power lines.

Palm, Queen – Low freeze tolerance. Must be planted in a freeze protected area.

(N) Paloverde, Texas – Small spiny tree with zigzagged branches, drought tolerant. Spines are straight and short. Moderate growth. **(N) Spanish Dagger** – Slow growing, usually only about ten feet tall. Hard to find in nurseries

(N) Willow, Black – Large tree with an irregular crown, yellow flowers one to two inch long cylindrical spikes. Fast growing (1.3 feet/year).

(N) Wright's Catclaw – Small tree armed with recurved catclaw -like prickles on twigs. Becomes a very effective security hedge. Moderate to fair growth.

Citrus – Planted for many reasons; dark green leaves, fragrant and colorful blossoms, delicious fruit. The following are some common varieties that do well in the Rio Grande Valley.

Colima or Lime Pricklyash – A native citrus that provides good cover and fruit for wildlife. Catclaw-like prickles on twigs and trunk.

Grapefruit – Ruby Red, Star Ruby, Rio Red, Henderson and Ray Ruby.

Kumquat – Small evergreen tree with edible fruit. Looks similar to small oranges.

Lemon – Eureka, Elizabeth, Meyers and Ponderosa.

Oranges – Marrs, Navel, Valencia and Hamlin.

Tangerine – No specific variety

Tangelo – Cross between a grapefruit and tangerine. No specific variety.

(N) Symbol for Native Trees.

NOT RECOMMENDED

These trees may have various problems that make them less desirable or cause them to be short lived. One can plant them if you can tolerate their problems or are willing to provide additional maintenance.

Brazilian Pepper – *Highly invasive and difficult to eradicate, fruit drop.*

Chinaberry or Canelon – *Highly invasive and difficult to eradicate, fruit drop, weak wood, fruit intoxicating to birds under certain conditions.*

Chinese Tallow – *Highly invasive and difficult to eradicate, iron chlorosis, damage from freeze leads to early decline.*

Canary Island Date Palm – *Subject to lethal yellowing disease.*

Consult your local nursery professional and discuss with them your planting area and soil conditions. Just because some trees are not recommended does not mean that they won't survive in this area.

EXAS BIG TREE REGISTRY Partial Listing Of Trees (Only From Cameron, Hidalgo, Starr, & Willacy Counties)

The Texas Big Tree Registry is coordinated by the Texas Forest Service and conforms to American Forests, National Register of Big Trees. For more information on Texas champion trees and nomination procedures, contact the Texas Forest Service at (979) 458-6650 or your local forester.

For more information on the Texas Forest Service, contact: Forest Service Development Department 301 Tarrow Drive, Suite 364 College Station, Texas 77840-7896 phone (979) 458-6650 Website: http://txforestservice.tamu.edu

A member of the Texas A&M University System An Equal Opportunity Employer

NAME	CIR.	HT.	CR. SPR	YR.
* ANACAHUITA Cordia boissieri Hidalgo County Owner: A. S. Farrel	76″	25'	38′	2002
* ASH, BERLANDIER Fraxinus berlandierana Cameron County Owner: Martha Duncan	252″	48′	72′	2003
* BALD CYPRESS, MONTEZUMA Taxidium mucronatum Cameron County Owner: Thomas H. Watkins	287″	68′	89′	2002
* EBONY, TEXAS Ebenopsis ebano Hidalgo County Owner: Hidalgo County Irrigation District #2	173″	53′	60′	1990
* BLUEWOOD Condalia hookeri Hidalgo County Owner: Hidalgo County Irrigation District #2	77″	30′	26'	1989
* HOLDBACK, Mexican Poinciana Hidalgo County Owner: City of Weslaco	48″	45′	60′	2003
** TEXAS SABAL Sabal texana Hidalgo County Owner: James & Dorthy Robinson	61″	50′	15'	2002
** TEXAS SABAL Sabal texana Cameron County Owner: Thomas H. Watkins	61″	45′	20'	1995

*Trees within five points of each other are listed as national co-champions and marked with (**). Trees marked with and (*) are national champions.*

DON'T BAG IT PROGRAM

This program was started by the Texas Agricultural Extension Service as an environmental action that would: 1) save the Valley money by significantly reducing the volume of waste material hauled to its landfills, and 2) reclaim organic matter for use by anyone engaged in gardening. The program specifically encourages the reuse of grass clippings and tree leaves.

These materials are very easy to compost. A year-long program of home lawn care with special watering, mowing, and fertilizing techniques proved to develop a better lawn at less cost and decreased the clippings handled or discarded.

For more information contact your local Extension office for your county.

Cameron County 1390 W. Expressway 83 San Benito, Texas 78586 (956) 361-8236 Hidalgo County 410 North 13th Avenue Edinburg, Texas 78541 (956) 383-1026

LIST OF NURSERIES

BAYVIEW:

River's End Nursery - (956) 233-4792

BROWNSVILLE:

Gentry's Garden Center - (956) 350-9805 Palm Gardens Nursery - (956) 546-1348 SSP Design - (956) 547-9788 Tony's Nursery - (956) 541-5322

EDINBURG:

Reyes Nursery - (956) 3 80-1528

HARLINGEN:

Grimsell Seed Co. - (956) 423-0370 Heep's Nursery - (956) 423-4513* Mother Nature's Creation - (956) 428-4897* Stuart Place Nursery - (956) 428-4439 The Home Depot - (956) 440-7779

LA FERIA:

Bence Nursery - (956) 797-2021

MCALLEN:

C.S. Waugh's Nursery - (956) 686-5591 Valley Garden Center - (956) 682-9411 MISSION: Shary Acres Nursery - (956) 581-7783

RAYMONDVILLE:

Caldwell's Jungle Nursery - (956) 689-3432

RIO GRANDE CITY:

Rancho Lomita Nursery - (956) 486-2576*

SAN BENITO: River Oaks Nursery - (956) 399-4078

WESLACO:

Mid-Valley Garden & Pond - (956) 973-1998 Valley Nature Center - (956) 969-2475*

*Native Plants Only



Trees for wildlife

A common thread that runs through the fabric of America is our love for wildlife. Whether it is a squirrel in our back yard or a hovering hawk hunting the edges of a city park, wildlife is a valued resource to protect and enjoy. But to share our communities with wildlife takes understanding and planning. Not surprisingly, trees play an important role. By understanding a few basic principles, you can attract songbirds and other desirable wildlife to your home or neighborhood.

What Wildlife Needs

Whatever the wildlife, the key to its presence is habitat–the place where it lives. Habitat consists of three important elements, all of which are necessary in order for wildlife to find a home.

Food

Each different tree and shrub species has a different

food value and attracts different animals. Having a wide variety of trees with high food value is the single best way to increase your pleasure in viewing wildlife.



Cover

Cover provides protection for breeding, nesting, sleeping, traveling, and hiding from enemies. Ideal cover for a wide range of animals is provided by dense plantings. In urban settings, even a single tree will help, but all the better if you have space for a group of evergreens or a hedge. Wild tangles, vines, and thorny shrubs in odd corners or narrow spaces also provide excellent cover.

Water

Water is as essential for wildlife as it is for humans. Provide it and you will be rewarded with more birds, butterflies, and other wildlife. Shown below are a few ways water can be provided in a home landscape.



Useful Vegetation Patterns to Help Wildlife

The arrangement of food sources, protective cover, and water will make a big difference in the kinds and quality of wildlife you attract. A few principles:



• The same arrangement of trees that provides humans with wind protection and shade also works well for wildlife.

• To see more birds and provide for their safety, plant cover trees within 10 to 15 feet of water sources.

• When possible, provide unbroken corridors (rows of trees, hedges, a brushy fence row, etc.) between wood-ed areas.

• Provide "edge" areas where woods or shrubbery meet a lawn or old field. Edge areas provide a combination of food, sunlight, shade, and security.

24 Tree Guide for the Rio Grande Valley of Texas

Backyard wildlife habitat program

Through the Backyard Wildlife program, you will learn how to restore wildlife habitat in your own yard, balcony, workplace, or even your entire community. Once you create your habitat, you can submit an application and get your property certified as one of more than 30,000 official National Wildlife Federation Backyard Wildlife Habitat sites around the country and the world.

Once certified, you will receive a handsome certificate, suitable for framing, that designates your property as part of the National Wildlife Federation's national registry of habitat sites. You will also be eligible to display an attractive yard sign for display in your habitat. Participation in the Backyard Wildlife Habitat program will help you save a place for wildlife right in your own backyard and community, while opening your eyes to the natural world around you, to be nourished by its wonders.

Information on Native Wildscape Certification for Residential, Commercial and Rural Property:

Texas Wildscapes Backyard Habitat Program www.tpwd.state.tx.us/nature/wildscapes

Texas Wildscapes Texas Parks & Wildlife Program 4200 Smith School Road Austin, Texas 78744 (512) 389-4644

Backyard Wildlife Habitat Program www.nwf.org/backyardwildlifehabitat National Wildlife Federation 11100 Wildlife Center Dr. Renton, Va. 20190-5362 (703) 438-6000 / 1-800-822-9919

Trees that attract Birds/Butterflies

This is a list of trees that do well in the Rio Grande Valley and attract birds and butterflies.

Fiddlewood	Native	Birds
Chapote	Native	Birds
Bottlebrush	Non-native	Hummingbirds
Mexican Flower Fence	Native	Birds/Butterflies
Guayacan	Native	Birds/Butterflies
Mulberry Tree	Native	Birds
Wild Olive	Native	Butterflies
Barbados Cherry	Native	Birds/Butterflies
Рарауа	Non-native	Birds
Vitex	Non-native	Birds/Butterflies
Citrus	Non-native	Birds/Butterflies

If they are unlikely to cause harm... Let Some Old Trees Live

Mature and over-mature trees provide:

- The only suitable habitat for many species of owls, warblers, tree frogs and other desirable wildlife.
- *Larger crops of acorns, seeds and other wildlife food.*
- A community of treetop insects that are essential for many songbirds.
- Insects for food needed by woodpeckers.
- Hollow places for wild honey bee hives.



Some Ways You Can Help

• Leaving dead trees and broken branches is generally not recommended arboricultural practice. However in safe, out-of-way

places these can enhance wildlife. In windbreaks, corners of lots and other places away from buildings and pedestrians, let a dead tree stand.

• When cutting firewood, plan ahead to allow drying time for live trees and utilize these from thinnings and improvement cuttings, leaving and snags for wildlife.

• If wind breaks the top of a tree, especially a conifer, do not automatically remove it. The jagged top is an excellent nest site for many species. The tree is probably safer than before the storm, and top branches will soon turn upward, covering the damage.

A Word About Pesticides

When it is absolutely necessary to use chemical to control insect pests, remember:

(1) Read and follow the label directions or hire a licensed applicator, (2) spot spray rather than apply over a wide area, (3) apply only when the wind is calm, and preferably in the evening when bees and other nectar feeders are less active, (4) use sparingly, and (5) choose a chemical specific to the pest.

Resources for tree guide

ADVICE ON NATIVE PLANTS

Arroyo Colorado Audubon Society www.kiskadee.org P.O. Box 531582 Harlingen, Texas 78553-1582

Friends of the Wildlife Corridor www.corridorfriends.org (956) 783-6117

Native Plant Project

www.nativeplantproject.org P.O. Box 2742 San Juan, Texas 78589 Publications : Native Trees, Native Shrubs, and Native Cacti, Ground Covers & Vines See website for online version or available through Valley Nature Center (956) 969-2475

Nature Conservancy of Texas - http://nature.org State Headquarters (210) 224-8774 (San Antonio) Sonia Najera (361) 882-3584 (Corpus Christi) Lisa Williams (956) 580-4241 (McAllen) Maxwell B. Pons, Jr. (956) 546-0547 (Brownsville) Donna Berry (956) 546-0547 (Brownsville)

Texas Forest Service

http://txforestservice.tamu.edu Paul Johnson (956) 969-5654 (Rio Grande Valley) Peter D. Smith (979) 458-6650 (College Station) Karen Woodard (361) 825-3338 (Corpus Christi)

Texas Master Naturalist -www.rgvctmn.org

Texas Parks & Wildlife – www.tpwd.state.ts.us Delores Valdez (361) 289-5566 (Corpus Christi) Jesus Franco(956) 571-5359 (Weslaco) Roy Gonzales (956) 546-1952 (Brownsville)

U.S. Fish & Wildlife Service – www.fws.org Santa Ana National Wildlife Refuge (956) 784-7500

Valley Nature Center – www.valleynaturecenter.org 301 South Border Ave. / P.O. Box 8125 Weslaco, Texas 78599 (956) 969-2475 (Weslaco)

NATURE HAPPENINGS IN THE LOWER RIO GRANDE VALLEY

TEXAS STATE PARKS

Texas State Park Tours – http://texas.state-park.org Tours focus on native plants & their uses (956) 519-6448

Bentsen State Park – www.tpwd.state.tx.us/bentsen Mission, Texas 1-800-792-1112

NATIONAL PARKS/REFUGES

Laguna Atascosa National Wildlife Refuge http://southwest.fws.gov/refuges/texas/laguna.html Nature Bike Rides & Nature Walks Rio Hondo, Texas (956) 748-3607

Santa Ana National Wildlife Refuge

http://southwest.fws.gov/refuges/texas/santana.html Tram Tours, Guided Nature Walks Alamo, Texas (956) 784-7500

RIO GRANDE VALLEY BIRDING/ BUTTERFLY FESTIVALS

International Birding Festival – www.brownsville.org Brownsville, Texas – Mid-February 1 (800) 626-2639

> Rio Grande Valley Birding Festival www.rgvbirdfest.com Harlingen, Texas – Early November 1-800-531-7346

Texas Butterfly Festival – www.texasbutterfly.com Mission, Texas – 3rd week in October 1-800-580-2700/ (956) 585-2727

Texas Tropics/Monterrey Birding & Nature Festival www.mcallenchamber.com McAllen, Texas – Late March 1-877-622-5536/ (956) 682-2871

> **The Great Texas Birding Classic** www.tpwd.state.us.gtbc Statewide event – Late April 1-888-892-4737

Wild in Willacy Nature Festival www.raymondvillechamber.com Raymondville, Texas – End of October (956) 689-3171

Resources for tree guide

OTHER

Bird & Butterfly Farm – (956) 233-6402 Los Fresnos, Texas

Gladys Porter Zoo – www.gpz.org Brownsville, Texas (956) 546-7187

National Arbor Day Foundation www.arborday.org 100 Arbor Avenue, Nebraska City, Nebraska (402) 474-5655

Rio Grande Valley Birding & Butterfly Map www.valleychamber.com Rio Grande Valley Partnership (956) 968-3141

Rio Grande Valley Nature Magazine Harlingen, Texas (956) 421-5750

Sabal Palm Grove Audubon Sanctuary www.audubon.org/local/sanctuary/sabal Last largest remaining Sabal palm forest/ecosystem - native plant and bird tours. Brownsville, Texas (956) 541-8034

Valley Nature Coalition www.rgvnaturecoalition.com Nancy Millar –956/682-2871 (McAllen)

World Birding Centers of the Rio Grande Valley www.worldbirdingcenter.org (Site Locations)

REFERENCES/FURTHER READING

A Field Guide to Texas Trees, Benny J. Simpson, 1989, Gulf Publishing, Texas Monthly Press, Houston, Texas

Checklist of Woody Plants Native to the Lower Rio Grande Valley of Texas, Joe Ideker (deceased) 1994 revision

Native Texas Plants, Landscaping Region by Region, Sally Wasowski with Andy Wasowski, 1991, Texas Monthly Press, Austin, Texas

Native Trees of the Lower Rio Grande Valley, Native Plant Project

Texas Trees: A Friendly Guide, Paul W. Cox & Patty Leslie, 1988, Corona Publishing Texas Monthly Press, San Antonio, Texas

Tree City USA Bulletins, The National Arbor Day Foundation, 100 Arbor Avenue, Nebraska City, Nebraska 68410 *Trees, Shrubs & Cacti of South Texas,* James H. Everitt & D. Lynn Drawe, 1993, Texas Tech Press, Lubbock,Texas

Trees, Shrubs & Woody Vines of the Southwest, Robert A. Vines, 1960, University of Texas Press, Austin, Texas

A Guide for Selecting and Planting Native Shrubs and Trees on South Padre Island and in the Laguna Madre Area, Valley Proud Environmental Council, 1999, 2004 Harlingen, Texas

A Guide for Selecting and Planting Native Cacti, Groundcovers,Shrubs, Trees, Vines and Wildflowers in the Rio Grande Valley of Texas and Mexico, Valley Proud Environmental Council, 1999, 2007 Harlingen, Texas

ACKNOWLEDGEMENT

This guide was produced through the combined efforts of many, many people and organizations including the

The Meadows Foundation

Valley Proud Environmental Council James R. Matz, Chairman and Laura Maxwell, Executive Director

Texas Forest Service, Paul Johnson, Urban Forester

with special thanks to: Joe Ideker (deceased) - *Native Plant Project*

Steve Benn - Texas Parks and Wildlife

Beau Hollingsworth - Lonestar Growers

Mario Perches - Texas Agricultural Extension Service

Chris Best - U.S. Fish and Wildlife Service

Steve Thompson - Laguna Atascosa National Wildlife Refuge Bob Lonard - UTPA

Rose Farmer - Sabal Palm Grove Audubon Sanctuary Morris Clint Jr. - Palm Gardens Nursery John Fucik, and many others.



Mission Statement

The mission of the Valley Proud Environmental Council, a non-profit 501 (c-3) organization, is to preserve the natural beauty and environment of the Lower Rio Grande Valley of Texas and Mexico, by promoting education and public awareness projects, including those that encourage proper tree planting and maintencance, solid waste management and responsible behavior by all those who live and visit here.

We fulfill our mission by forging partnerships between grassroots volunteer organizations and the public and private sectors, which support our projects and result in improving the quality of life, enhancing economic development and tourism, and which conserve public and natural resources.

513 East Jackson, Suite 304, Harlingen, Texas (956) 412-8004 / Fax: (956) 412-8008 www.valleyproud.org / vpec@sbcglobal.net

THE MEADOWS FOUNDATION

Mission

The Meadows Foundation exists to assist people and institutions of Texas improve the quality and circumstances of life for themselves and future generations.

Vision

The Meadows Foundation strives to exemplify the principles of its founder in addressing basic human needs by working toward the elimination of ignorance, hopelessness and suffering, protecting the environment, providing cultural enrichment, encouraging excellence and promoting understanding and cooperation among people.

> 3003 Swiss Avenue - Dallas, TX 75204 (214) 826-9431 - (800) 826-9431

VALLEY PROUD SPONSORS

American Electric Power • Bank of America • Bargain Book • Brownsville Herald • Cameron County Parks & Recreation City of Brownsville • City of Harlingen • City of McAllen • City of San Benito • City of Weslaco • Coastal Current H-E-B • BMP Radio • James A. "Buddy" Davidson Charitable Foundation • KGBT-FM • KFRQ-FM/KKPS-FM/KVLY-FM KMBH-TV/FM/KHID-FM • KGBT-TV • KNVO-TV • KRGV-TV • KTLM-TV • KVEO-TV • Time Warner Cable
L & F Distributors • La Feria News • Lamar Outdoor • Lone Star National Bank • Long, Chilton, LLP • Los Fresnos News Dr. & Mrs. M.M. MacRae • The Meadows Foundation • Mid Valley Town Crier • Red River Service Corporation Rio Grande Valley Sugar Growers • Rio Hondo News • San Benito News • Port Isabel/SPI Press Town of South Padre Island • Texas Forest Service • Texas General Land Office Texas Commission On Environmental Quality • The Home Depot • U.S. Fish & Wildlife Service Valley Baptist Health Plans • Valley Morning Star